

Introduction

The Department of Defense (DoD) and the military services have recognized the growing significance of modeling and simulation (M&S) for many aspects of their operations and have prepared directives and guidelines to provide general instructions on how, when, and under what circumstances formal Verification, Validation, and Accreditation (VV&A) procedures should be employed. This *Recommended Practices Guide* (RPG) is intended to facilitate the application of those directives and guidelines and to promote the effective application of VV&A.

The guidance contained within this RPG should be generally applicable to the full spectrum of M&S employed for military and defense applications, which includes physical and chemical process modeling, system effectiveness prediction, training of personnel, decision aids and operational support, design, engineering, manufacturing, and logistics. In addition, M&S is used to support military and defense business processes and the full spectrum of medical applications. The breadth of these applications results in a similar breadth of M&S types and properties, including standalone, federated, and distributed M&S; live, virtual, and constructive M&S; single- and multiple-CPU systems; mini-computer to super-computer; human/hardware/software/system-in-the-loop M&S; computing with adaptive processes, such as various forms of artificial intelligence and genetic algorithms; slower than real time, real time, and faster than real time. This variety limits the guidance for some aspects of VV&A to being descriptive rather than prescriptive.

The RPG describes the interrelated processes that make up VV&A from a number of perspectives. The RPG covers the different roles and responsibilities of the various participants; discusses special topics associated with VV&A; identifies tools and techniques, and provides reference material on related areas.

What is VV&A?

VV&A incorporates three distinct processes: verification, validation, and accreditation. These are three interrelated processes to gather and evaluate evidence to determine whether a simulation's capabilities, accuracy, correctness, and usability are sufficient to support its intended uses. An accreditation recommendation reflects the degree to which the verification and validation (V&V) evidence supports using the simulation. When the V&V evidence strongly supports the recommendation, that conclusion is put into writing, creating an official record of the decision – something not to be taken lightly.

The official DoD definitions for these processes are:

Verification – *the process of determining that a model implementation and its associated data accurately represent the developer's conceptual description and specifications*

Validation – *the process of determining the degree to which a model and its associated data provide an accurate representation of the real world from the perspective of the intended uses of the model*


Accreditation – *the official certification that a model, simulation, or federation of models and simulations and its associated data is acceptable for use for a specific purpose¹*

It can also be helpful to remember each one in terms of a simple question that informally captures the essential idea:

- **Verification** – *Did I build the thing right?*
- **Validation** – *Did I build the right thing?*
- **Accreditation** – *Is it believable enough to be used?*

In an extended discussion of semantics, Rouche² relates these terms to disciplines, saying that verification is related to mathematics, in that its purpose is to prove that the equations that model the phenomena are solved correctly in the code, and that validation is related to science and engineering, in that its purpose is to prove that the code produces results that represent physical measurements. Similar thinking would say that accreditation is related to engineering and engineering management, in that its purpose is to determine whether the code produces results that are acceptable for the intended use.

Sargent³ succinctly illustrates the relationship between development, verification and validation activities in the framework shown in the figure below. Although the terms may be slightly different, the concepts are consistent with those espoused in the RPG. This framework encompasses three building blocks: the “Real-World” Problem Entity, the Conceptual Model, and the Computer Model, which are referred to as the Simuland, the Conceptual Model, and the Simulation or Federation, respectively, in the RPG. Similarly, the assessment activities in the framework, Conceptual Model Validity, Software Verification, Data Validity, and Operational Validity are referred to as Conceptual Model Validation, Verification, Data Verification and Validation, and (Results) Validation, respectively. Regardless of the terms, the figure aptly illustrates the relationships between these entities and activities.



Conceptual Framework for Modeling and Simulation

Why Is VV&A Performed?

To determine whether a model or simulation or federation should be used in a given situation, its credibility must be established by evaluating its fitness for the intended use. Credibility is established by evaluating the simulation's capabilities, accuracy, correctness, and usability relative to its intended use.

Credibility depends on the simulation's

- **Capability** – not in an absolute sense, but relative to the capabilities needed for the specified application
- **Accuracy** – not in an absolute sense, but relative to the accuracy necessary for the intended use
- **Correctness** – the level of confidence that its data and algorithms are sound, robust, and properly implemented and that the accuracy of the simulation results will not substantially and unexpectedly deviate from the expected degree of accuracy

Credibility depends, as well, on its

- **Usability** – factors related to the use of the simulation, such as the training and experience of those who operate it, the quality and appropriateness of the data used in its application, and the configuration control procedures applied to it

How Do Intended Use and Risk Affect VV&A?

The need for VV&A is derived from its intended use and the risk associated with inappropriate decisions being made from the simulation's results. Some of the common intended uses for simulations are training, design verification to support fielding decisions, virtual testing, analysis of alternative studies, and acquisition decisions. If a simulation is to be used for training purposes, then the importance of VV&A depends on the importance of the activity for which the training is being conducted, the degree of accuracy required for the training to be effective, and the expected degree of difficulty for the developer of the simulation in achieving that accuracy.

Example:

Performing VV&A for a simulator used to train helicopter pilots for landing on the deck of a destroyer in heavy seas would be comparatively more important than VV&A for training the operators of forklifts for moving cargo on a supply ship. Both are important, but the helicopter landing situation involves much greater risk to the safety of military personnel, involves significantly more expensive equipment, is much more likely to have a direct impact on a military objective in a combat situation, and is a far more difficult situation to simulate.

Similarly, the appropriate extent of VV&A performed for a simulation used for assessment will depend on the budgetary considerations, the significance of any decisions that will be based on the use of the simulation, and the risk of inaccuracy inherent in the problem representation being used.

Example:

A frequent DoD application for modeling and simulation (M&S) is in the concept evaluation, design, and manufacturing or construction of a weapons system. For this use it is necessary (among other things) to document the requirements and intended usage for a system, determine whether the functional system design can in principle meet these requirements, confirm that the specific design values selected for critical system attributes are sufficient for the system to achieve its required performance, and then to determine if the selected values for these attributes are technically achievable at an affordable cost.

The nature of the system being designed will determine, in part, the methods that can be used to confirm the reasonableness of the design values and the types of simulations that can be used for this purpose. The decision quality benefits will occur primarily in two areas: avoiding (or minimizing) the risk of making bad choices based on simulation data, and providing support for decisions concerning whether to use simulation data or to pursue, instead, analysis based on other engineering approaches.

When a simulation is used as one of the means to confirm the suitability of the design values chosen, then the validation of the simulation's results takes on significance commensurate with the impact on the anticipated performance of the system and with the strategic or military significance of the system.

Example:

All things being equal in terms of simulation difficulty and technical uncertainty, a performance simulation for an expensive weapons system upgrade that could have a significant impact on military superiority would warrant a more in-depth VV&A effort than a simulation used to evaluate an inexpensive new weapons system design that could yield limited cost reductions but could not otherwise have much impact (either positive or negative) on military effectiveness.

The increasing reliance on M&S within the acquisition process also increases the financial and safety risks from erroneous or inaccurate simulation results.

Finally, special VV&A considerations apply when a simulation may be used as a substitute for some prototype field testing or for live-fire testing. Here, the importance of VV&A and the extent of VV&A necessary depend on the significance of the live test being replaced by a simulated test. History provides numerous examples of the importance of thorough testing, and unfortunately, more than a few examples of what can go wrong when testing is inadequate. Simulation use can help to identify essential areas for testing and help prioritize testing resource use.

Example:

The Mars Climate Orbiter was lost due, in part, to a “lack of complete end-to-end verification of navigation software and related computer models.”⁴

When the Hubble Space Telescope was being constructed, a decision was made to save costs by not assembling it on the ground to check all the alignments before sending it into space. After launch “...NASA announced that the telescope suffered from spherical aberration ... the problem concerned two excellent yet mismatched mirrors ...”⁵

This led to a delay longer than 3½ years in achieving the Hubble’s intended operating capabilities. Finally, an in-space repair mission was necessary: “Successful completion of the first refurbishment mission in December 1993 ... restored most of the planned capabilities ...”⁵

Such problems are not limited to today’s highly complex systems.

Example:

The United States entered World War II with a submarine fleet that was dangerously ineffective. Their primary weapon, the Mark 14 torpedo, had not been tested since 1926, despite the incorporation of a new, advanced exploder design in 1934. The live-fire tests had also been extremely limited in number and had yielded only a 50% success rate – i.e., one out of two test shots was successful.⁶ Further, the torpedoes had never been live-fire tested against the types of surface ship targets for which they were intended. Nevertheless, thousands were built. Perhaps due to this limited testing, there were three serious design flaws that were not found and corrected until midway through the war, when the U.S. submarine fleet was finally able to become fully effective.

Example:

The Army Air Corps in World War II had a similar problem with its 500-pound bombs, which were not exploding reliably on the hard (coral) surfaces of many Pacific islands. Field modifications to the fuze were required to solve the problem.⁷

Untested prioritization rules implemented at Navy repair depots during World War II caused the “disappearance” of critical radar components in short supply. They were later found on trains, shuttling back and forth across the country.⁸

What does all this system testing experience have to do with VV&A for M&S? Only this: Simulation is much more economical than live-fire testing and field testing. In the future, live-fire tests and field tests will be increasingly supplemented with simulated tests. If the simulations used do not have sufficient fidelity to represent the actual military systems in the types of environments where those systems will be used, then the simulated test results will be questionable. It is easy to envision, as a result of the increasing reliance on simulated tests, that a system design flaw could remain hidden for years if a simulation designer did not anticipate all of the important possibilities and incorporate them into the simulation. There is an ever-present and increasing risk that

simulated tests might not reveal design flaws in future weapons systems because, as history demonstrates, flaws can and do result from *unanticipated* interactions between system components and the operating environment. The increasing role of models and simulations in support of testing places even greater importance on effective VV&A.

Because so many of the factors just described are situation dependent, there cannot be a simple “yes/no” decision that will apply in all circumstances wherein a simulation might be used. Just because a simulation is judged suitable for one purpose in one organization does not automatically guarantee that it would be suitable for the same type of use in some other organization, nor even that it would be suitable for some other type of use within that same organization. That being said, a decision that a simulation has been used for a specific purpose by one organization may well be taken as important evidence to consider by another organization that wants to use a simulation for a similar purpose. The availability of a definitive V&V record can help technical managers decide whether or not to try to use – or modify and reuse – an existing simulation rather than undertake development of a new one. Thus, effective V&V increases the potential for cost savings from simulation reuse.

VV&A is performed when the risk of making an incorrect decision on the basis of a simulation outweighs the time and cost of performing VV&A to ensure that a simulation produces results that are sufficiently accurate and reliable. Performing the VV&A processes creates a sound basis for the organization to proceed to the next stage of a project and to determine how much to rely on the simulation within the project. Also, VV&A can help determine whether there is a need to further investigate the simulation to mitigate risk, and, if necessary, whether to take preventive action to resolve any risk areas before any adverse impacts could occur.

In summary, the larger issues of weapons system deployment and use, in combination with the technical characteristics of the simulation and the level of confidence in its input data and other operating parameters, should determine the level of risk to be assigned to the simulation for which VV&A is being undertaken. This level of risk, combined with the potential military impacts of the system, will determine the ideal level of effort that should be expended for VV&A. Like almost everything else in a development program, the use of VV&A is an economic decision. See [Advanced Topics>Special Topics>Risk and Its Impact on VV&A](#) for additional information.

Why Not Just Validate? Why Is Verification Needed as Well?

Before continuing with the description of VV&A, it is important to address, and put to rest, a question commonly asked by those new to VV&A:

*If **validation** determines the degree to which a model and its associated data provide an accurate representation of the real world, and if that degree of accuracy is deemed sufficient to warrant either limited or full accreditation, then why is it viewed as necessary, or even desirable, to expend resources to first conduct a **verification** process? Why isn't validation, by itself, enough?*

The implicit argument is that if a simulation works acceptably well (i.e., that it is proven to be the “right model,” addressing the validation question) then this must also imply that either the simulation was necessarily developed properly (i.e., that it was “modeled right,” therefore also answering the verification question) or that proper development isn’t important. This is not a bad argument, and if it were practical or even possible to test the full range of situations that might occur in a simulation, then this might reasonably be considered to be an acceptable argument. However, such comprehensive testing is – in general – neither affordable nor feasible.

As a practical matter, it could be unwise to undertake a validation exercise without first being assured that the simulation about to be validated works and does what is expected. Waiting until the [results] validation phase (i.e., after the simulation has been developed), to discover that the simulation does not address the requirements means not only that a lot of resources and time have been wasted, but that it may be too late to correct the problem.

It is commonly understood in the software engineering community that the earlier problems are detected, the lower the costs involved in correcting them. In addition, verification helps provide an assurance that a simulation will not exhibit unrealistic or unstable behavior in those areas that are not or cannot be tested, contributing to the overall credibility of the simulation.

Example:

If the requirements demand an accurate simulation representation over some parametric region, and if the specifications do not indicate any reason to expect inconsistent behavior within that region (i.e., they do not contain equations or other features that might be unstable, chaotic in nature, etc.), then a verification that the simulation is an adequate implementation of the specifications will go a long way toward providing confidence that a simulation will perform in a reasonable and predictable manner.

Conversely, if the mathematical algorithms have certain ranges of parameters where the inherent mathematical behavior becomes unstable or undefined, or if the simulation implementation should have some inherent limitations that may cause the computed values to deviate from the purely mathematical results over some parameter regions, then one can expect that the simulation might not be reliable over these ranges of input values.


The verification effort can also help identify problem parametric regions so they can be avoided (i.e., they would be identified as simulation constraints or limitations).

Verification permits leveraging the materials already prepared by the developer in a way that validation usually does not, and provides the foundation upon which validation is based. Verification establishes the relationships between the requirements of the problem and the developmental artifacts (i.e., simulation conceptual model, design, code) that are examined in testing and validation. There may be instances where it is simpler and less costly to undertake a relatively comprehensive validation effort rather than to perform verification, but these will be the rare exception, rather than the rule.

Performing (rather than skipping) verification will lead to increased confidence in the V&V results, and in most cases will yield a *lower* overall cost for conducting the full VV&A process.

What Tasks Must Be Accomplished for Effective VV&A?

The purpose of VV&A is to establish the simulation's fitness for each problem it is asked to address. Thus, VV&A helps establish the relationship between the problem and the simulation being used to solve it. The overall Problem Solving Process, shown below, illustrates this relationship of interrelated processes as a series of nested boxes, each containing additional boxes representing the basic activities and functions that comprise that particular process. Thus, the M&S Use Process is a subprocess that begins when the use of M&S is designated as one of the solution methods in the Problem Solving Process. Once the use of M&S is determined, three parallel and interrelated processes are invoked: the M&S Development/Preparation Process, the V&V Process, and the Accreditation Process.



The Overall Problem Solving Process

8/4/04

Problem Solving Process – Instigation

The Problem Solving Process begins with two critical activities, defining the problem and selecting the approach for resolving it.

Problem Solving Process: Define the Problem and Establish Objectives

The problem statement identifies the issues to be resolved, defines the objectives to be met, and establishes the scope and conditions under which the problem should be addressed. The problem and objectives need to be articulated clearly enough that decisions can be made about how to solve the problem and requirements, so that those aspects, features, conditions, or characteristics that need to be addressed in the solution can be defined. Problem definition is critical to a successful solution. For complex problems, a formal problem analysis can provide the guidance needed to select appropriate methods, and it establishes a firm foundation upon which the rest of the overall process can build.

Problem Solving Process: Select Approach(es)

Modeling and simulation is but one method, albeit an important one, for obtaining information needed to solve a problem or support a decision. The decision to use a simulation should be governed by the careful definition of the problem being addressed and the identification of the requirements needed for its resolution. Not every problem requires or even benefits from using simulation. However, M&S does offer certain advantages, such as:

- **Repeatability** – Important aspects of the real world can be recreated as if the actual event or operation were taking place (e.g., training an Army brigade).
- **Control** – An event or operation can be replicated under controlled conditions (e.g., running excursions of a battle to analyze the impact of different weapon systems).
- **Safety** – The capabilities of a system can be tested or experienced without expending actual resources (e.g., evaluating the action of a warhead fuse for an air-to-air missile).
- **Speed** – The important aspects of an event or operation can be conducted in less than real time (e.g., running a theater-level deployment exercise for a peacekeeping mission).
- **Reduced costs** – The potential success of a hypothetical weapon system under various battle circumstances can be explored before resources are allocated for its actual development.

The decision to use M&S should not be taken lightly. A preliminary feasibility study should be performed to determine if its use is reasonable and appropriate.

M&S Use Process – Ingress

When modeling and simulation has been selected as a solution approach, the next phase of the process is the M&S Use Process. All of the activities, functions, and nested processes in this process are directly associated with selecting, preparing, and executing (i.e., using) a simulation in support of the Problem Solving Process. The activities at the beginning are critical, because they lay the foundation for the subsequent Development/Preparation Process and the supporting V&V and Accreditation Processes.

M&S Use Process: Define M&S Requirements

Once the decision is made to use modeling and simulation, the part simulation is to play in obtaining a solution should be more precisely defined. The M&S function is characterized as a set of M&S requirements developed by addressing such issues as:

- Which particular aspects of the problem will be addressed by the model or simulation (i.e., what is the intended use)?
- What requirements need to be met to find a solution? What aspects of the problem domain need to be addressed? What characteristics of the user domain need to be included?
- What capabilities does the model or simulation need to address the problem?
- What decisions will be made on the basis of M&S results?
- What are the ramifications of improper modeling? What risks are involved if erroneous results are accepted?
- What criteria will be used to determine when success has been achieved?

See the [Advanced Topics>Special Topics>Requirements](#) and [Advanced Topics>Special Topics>Acceptability Criteria](#) for additional information.

M&S Use Process: Plan Approach

Planning the approach involves a number of decisions and tasks.

- **Select Simulation Type** – Once the basic M&S requirements are known, the type of simulation to use must be determined. In some instances, a new simulation may need to be developed. Frequently, reusing a legacy simulation, with or without modification, is the most economical and efficient approach.

Determining whether to use a legacy simulation, if one exists, or to develop a new simulation is a business decision that should be based on a number of different factors affecting the overall costs involved and the level of risk incurred. When considering the use of a legacy simulation, there may be an additional

task of evaluating different candidates to determine which is most appropriate for the intended use.

In other situations a federation may be the most appropriate approach to the simulation design. A federation is “a named set of federate applications and a common Federate Object Model that are used as a whole to achieve some specific objective.” Each federate is in itself a simulation. This configuration presents a number of possibilities for the simulation type. For example, a federation can be new while its federates are new and/or legacy simulations.

- **Designate Participants** – Depending on the magnitude of the simulation effort involved, a number of different roles need to be filled: In addition to the **User**, who is responsible for defining the problem and making the accreditation decision, the key players include:
 - **M&S Program Manager (PM)** – planning and resourcing simulation development, overseeing preparation of the simulation for use, configuration management, and simulation maintenance
 - **Developer** – designing and implementing the code
 - **V&V Agent** – accumulating evidence of the simulation’s fitness by performing V&V activities
 - **Accreditation Agent** – conducting the accreditation assessment
- **Establish Overall Strategy** – Define the responsibilities and interactions of the participants, establish milestones, identify artifacts and products, designate formats and reporting structures, establish configuration control methods, etc.

M&S Development/Preparation Process

The type of simulation determines the appropriate M&S Development/Preparation Process.

M&S Development and Preparation Process: Develop New M&S


The advantage to developing a new simulation is that it is designed and built specifically to address the needs of the intended use. A major challenge is to ensure that the M&S requirements are adequately specified and captured properly in the conceptual model. This process consists of five basic activities, each of which results in a critical artifact or product:

- **Refine M&S Requirements** results in the total set of detailed M&S requirements that the simulation needs to address.
- **Plan M&S Development** results in the development plan that includes information on the development approach, resource allocations, schedules, milestones, etc.

- **Develop Conceptual Model** results in the simulation conceptual model, the collection of information that describes the Developer's concept about the simulation and its constituent parts. It serves as a bridge between the Developer and the User, demonstrating the Developer's understanding of the intended use. See [Advanced Topics>Special Topics>Conceptual Model Development and Validation](#) for additional information.
- **Develop Design** results in the design specifications, a translation of the information captured in the conceptual model, to support implementation in software (**code**) and hardware.
- **Implement and Test** realizes the design in hardware and software (code) and produces test results pertaining to the individual components and data and their integration.

M&S Development and Preparation Process: Prepare Legacy M&S

A legacy M&S is any M&S that was developed either in the past or for a different purpose. The emphasis in preparing a legacy simulation for reuse is on identifying critical deficiencies in the existing simulation with respect to the intended use. Deficiencies are discovered by examining the existing simulation artifacts (e.g., conceptual model, design, code, simulation documentation, test results, VV&A history, and usage documentation) and assessing how closely existing simulation capabilities correspond to the M&S requirements of the intended use. The exact nature of the V&V effort will depend on the results of this assessment, as illustrated in the following flow diagram.



Flow Diagram for the VV&A of a Legacy Simulation

If no deficiencies are involved (i.e., simulation capabilities are sufficient for the intended use; no code or hardware changes are needed), then the simulation can be used as is and the V&V effort will consist of whatever tasks are needed to complete the picture (e.g., data V&V, results validation). When deficiencies are involved, code and/or of hardware are modified to resolve the deficiencies and the simulation artifacts are updated. A distinction is usually made between significant or major modifications and minor modifications.

Major modifications involve replacing or adding 30% or more of the code. The size and complexity of this much change usually requires the services of both a Developer and an M&S PM. Minor modifications involve adding or fixing less than 30% of the code and usually do not require an M&S PM. Many minor modifications are even handled “in house.” The availability of complete and accurate information about the simulation and the simulation’s configuration management process both have a major impact on legacy simulation assessment and reuse. Note that when the legacy simulation is owned by someone other than the User, the User’s ability to modify the simulation may be constrained by the simulation’s configuration control policy.

M&S Development and Preparation Process: Construct Federation

A federation is used when a single simulation cannot provide all the capabilities needed by the intended use. Identification of the federates and assignment of their individual responsibilities is a major focus of federation construction. Emphasis is placed on the appropriate portrayal of federate capabilities in carrying out the proposed responsibilities within the federation. Once federates are selected, the challenge is to ensure they are technically and substantively interoperable, i.e., the manner in which they are linked physically works and also produces credible results.

- **Technical interoperability** – the capability of federates to physically connect and exchange data through those connections
- **Substantive interoperability** – the capability of federates, when connected, to provide adequate, accurate and consistent simulated representations that adhere to the principles of “fair fight” and address the mission objectives

V&V Process

Basic V&V Activities

The nature of the V&V process depends on which type of simulation is involved. The basic V&V activities apply to all three simulation categories; however, the relative importance of each activity and the specific tasks performed depend greatly on the type of simulation and the specifics of the application. The basic V&V activities are:

- **Verify M&S Requirements** – confirming that the requirements for the simulation match those needed for the current problem, and are correct, consistent, clear, and complete
- **Develop V&V Plan** – identifying the objectives, priorities, tasks, and products of the V&V effort; establishing schedules; allocating resources; etc. in coordination with simulation development and accreditation plans
- **Validate Conceptual Model** – confirming that the capabilities indicated in the conceptual model embody all the capabilities necessary to meet the requirements
- **Verify Design** – determining that the design is faithful to the conceptual model, and contains all the elements necessary to provide all needed capabilities without adding unneeded capabilities
- **Verify Implementation** – determining that the code is correct and is implemented correctly on the hardware
- **Validate Results** – determining the extent to which the simulation addresses the requirements of the intended use

Note that each of these activities involves some level of effort evaluating the artifacts and products corresponding to simulation development phases. Each activity is accomplished by performing a number of individual tasks. The specific tasks to perform and the techniques used to perform them are determined during planning; i.e., the V&V activities are tailored to address the intended use.

An instructive example of tailoring can be found at [Resources>Reference Documents>Example of Tailoring](#). Detailed discussions of V&V for each of the simulation types can be found in the Core Documents.

Data V&V

In simulation, it is virtually impossible to separately evaluate a model and the data it uses (e.g., input data, hard-wired data) because it is the interaction of data and code that produces simulation results, making both responsible for simulation credibility. This mutual dependency suggests that data V&V activities should be considered part of the overall V&V process. Indeed, data V&V activities are discussed as part of the V&V process throughout the RPG. However, because of the large number of data categories used in a simulation and the amount of time needed to locate and acquire individual data sets, data V&V has a unique nature. Some important aspects of data V&V are:

- Data V&V tasks are conducted on different sets of data.
- Different data V&V tasks may be required for different sets of data.
- Different techniques and tools may be needed to conduct data V&V tasks on different sets of data.
- Different data sets are obtained at different times.
- The people performing data V&V activities frequently require different qualifications (e.g., subject matter experts [SMEs] with expertise in individual data areas).

Whoever conducts data V&V activities should work closely with those developing and preparing the simulation for use and with those performing M&S V&V activities. Data V&V activities should be carefully documented and included in the V&V report. Additional information on data V&V is provided in [Advanced Topics>Special Topics>Data V&V for New M&S](#) and [Advanced Topics>Special Topics>Data V&V for Legacy M&S](#).

Accreditation Process

Accreditation is the official certification that a simulation and its associated data are fit for the intended use.

- **Develop Accreditation Plan** – The accreditation plan should identify all the information needed to perform the accreditation assessment and their priorities,

tasks, schedules, participants, etc., in coordination with simulation development and V&V plans.

- **Collect and Evaluate Accreditation Information** – The information needed for the assessment is collected from the V&V effort and other sources and evaluated to determine its completeness.
- **Perform Accreditation Assessment** – The fitness of the simulation is assessed using all the evidence collected from the V&V effort and other sources, and an accreditation report and recommendations are prepared for the User.

Although accreditation is often perceived as occurring at the end of a development process, the actual assessment process should begin as early as possible so that V&V activities and testing activities can be sure of providing appropriate and sufficient information to support the accreditation assessment.

M&S Use Process – Egress

Once the accreditation process is completed, the process returns to complete the M&S Use Process Phase.

M&S Use Process: Make Accreditation Decision

The accreditation decision is essentially the User's belief in the credibility of the simulation. The V&V effort and the accreditation assessment are both done to amass evidence to show what risks are associated with using the simulation and how likely or unlikely they are to occur. The User weighs the risks against the evidence of the simulation's capabilities. There are basically five different options to consider:

- **Full accreditation** – The simulation produces results that are sufficiently credible to support the intended use.
- **Limited or conditional accreditation** – Constraints should be placed on how the simulation can be used to support the intended use.
- **Modification of the simulation is needed** – The simulation's capabilities are insufficient to support either full or conditional accreditation; modifications and subsequent V&V are needed to correct the deficiencies.
- **Additional information is needed** – The information obtained about the simulation is insufficient to support either full or conditional accreditation; additional information should be generated or otherwise obtained, and supplemental verification, validation, and/or testing should be conducted to provide the necessary information before the accreditation decision is made.
- **No accreditation** – The results of the assessment show that the simulation does not adequately support the intended use.

When no accreditation is deemed possible, the User must select a different method to solve the problem. When the User decides additional work or information is needed, the process returns to the planning stage to establish a new plan to accomplish necessary work.

M&S Use Process: Execute and Prepare Results

When either full or limited accreditation is selected, the simulation is executed and results analyzed and prepared for use.

Problem Solving Process – Conclusion

The simulation results are combined with the results of any other methods involved in solving the problem. Analysis is conducted and conclusions are drawn. When the User is satisfied with the solution, the results are documented, reported, and archived.

What Are the Key Considerations for Scoping the VV&A Effort?

The specific details of the V&V process actually employed will, of course, vary with the nature of the simulation and its intended use.

Example:

The V&V approach for a training simulation for a weapons system operator must necessarily focus on the realism of the immediate responses of the system's controls to operator actions within a simulated situation in a simulated environment.

In contrast, the V&V of an analysis or assessment simulation for that same weapons system might well focus upon the accuracy of the representation for weapons effectiveness against selected threats, and might also be concerned with the representation of longer time-frame impacts such as demands placed on the logistics support system.

The key point is that the V&V approach must be tailored to match the nature of the problem, which includes not only the situation(s) being simulated but also the types of decisions that the simulation results are supporting. Additional factors concern the nature of the simulation. The use of human-in-the-loop or hardware-in-the-loop components, different types of simulation (e.g., new, legacy, federation) require somewhat specialized treatments. Even for the same type of simulation, every situation will be somewhat different from the one before, so no rigid “cookbook” VV&A process can fit all situations all the time. Therefore, tailoring the V&V effort is an essential part of the V&V process itself.

Finally, specific elements of the V&V approach will be selected based upon the level of risk understood to be inherent in the decision being supported by the simulation, the criticality of the simulation results to the decision being reached, and the availability of time, money, and personnel to execute V&V.

Technical or resource limitations may mandate that the V&V processes be tailored, in practice, in a way that is less than ideal from a purely VV&A perspective. All of these factors, including any limitations placed on the V&V activity due to time or resources, must be taken into account by the Accreditation Authority when reaching a conclusion for the approval or disapproval of the use of the simulation.

Trade-off agreements that reduce the level of V&V performed should be reached taking into account what is best for the program being supported, but the broader context of the long-term use (reuse) of the simulation should be considered as well. Decisions to limit the V&V effort may save money for the immediate program (as well as introduce some degree of risk), but these decisions also limit the chances of simulation reuse, resulting in higher costs for other programs, which may not, in the final analysis, be the best option.

An instructive example of tailoring can be found at [Resources>Reference Documents>Example of Tailoring](#).

When Is VV&A Performed?

VV&A is best accomplished as a continuing activity, conducted *as part of* the overall process of developing and preparing a simulation for use. The life cycle of a simulation – its development, use, modification, and reuse – always occurs within the context of its use. A simulation is developed for a specific purpose (e.g., pilot training, analysis of alternatives of artillery munitions, concept development for a sensor), but it may be reused for other purposes in other applications. The simulation's life cycle continues through phases of modification and reuse as long as it is deemed fit to address some problem.

Who Are the “Key Players” Involved in VV&A?

Primary Roles

Proper execution of a VV&A process involves participants in a number of different roles. The DoD Instruction 5000.61, *DoD Modeling and Simulation Verification, Validation, Accreditation (VVA)*, provides a set of definitions of VV&A-related roles for use in DoD-level M&S activities. Similarly, the Army, Navy, Air Force, and Missile Defense Agency have each defined specific VV&A-related roles for use in their M&S activities that reflect their individual perspectives and policies. Although these roles differ in terms of the specific titles and the particular functions allocated to each, the set of overall responsibilities is consistent.

Because the purpose of this RPG is to promote the effective application of VV&A throughout the DoD community, a set of generic roles is used to discuss the functions and responsibilities rather than adopting a more specific terminology that may not be understood consistently among the services and DoD components. Research

conducted by a panel of VV&A subject matter experts determined that the set of overall responsibilities can be separated into the five basic roles defined below.

- **User** is the organization, group, or person responsible for the overall application. The User needs to solve a problem or make a decision and wants to use simulation to do so. The User defines the requirements, establishes the criteria by which simulation fitness will be assessed, determines what method or methods to use, makes the accreditation decision, and ultimately accepts the results.
- **M&S Program Manager (PM)** is the term used to define the role responsible for planning and managing resources for simulation development, directing the overall simulation effort, and overseeing configuration management and maintenance of the simulation. In legacy simulation reuse when a major modification effort is involved, the User may designate an M&S PM to plan and manage the modification effort.
- **Developer** is the person, group or organization responsible for constructing or modifying the simulation, preparing the data for use in the simulation, and providing technical expertise regarding simulation capabilities as needed by the other participants.
- **Verification and Validation Agent (V&V Agent)** is the term used to define the role responsible for providing evidence of the simulation's fitness for the intended use by ensuring that all the V&V tasks are properly carried out.
- **Accreditation Agent** is the person, group or organization responsible for conducting the accreditation assessment. The Accreditation Agent provides guidance to the V&V Agent to ensure that all the necessary evidence regarding simulation fitness for use is obtained; collects and assesses the evidence; and provides the results to the User.

To ensure that these five roles encompass all the service and DoD component perspectives, VV&A representatives of the Army, Navy, Air Force, Missile Defense Agency, and DoD mapped each of the terms used in the RPG with the roles defined in their respective policy documents. The results are provided in the [Resources>Diagrams>Comparison of VV&A Roles](#).

Key Support Roles

M&S Proponent

When the simulation is controlled by someone other than the User in legacy simulation reuse, a sixth role, that of M&S Proponent, may come into play. The M&S Proponent is the role responsible for managing the simulation throughout its life cycle, establishing and ensuring configuration control of the official version of the simulation, maintaining and enhancing its capabilities, managing its usage, and protecting it from damage and misuse. The simulation's configuration control policies will determine the extent of the M&S Proponent's involvement in its reuse. This may range from no involvement at all to

determining what processes and procedures are followed in preparing the simulation for use, what products are produced, and what modifications can be made (and possibly when and by whom).

Subject Matter Expert (SME)

In addition, SME is an auxiliary role that contributes to the VV&A effort in a number of ways. An SME is an individual who is recognized as an authority in a specific area. Expert opinions may be needed in a variety of different areas in a given application, ranging from aspects of the problem domain being simulated to the data and computing technology needed by the simulation. SMEs can be called upon to help in a variety of ways, from helping the User in establishing requirements and acceptability criteria to participating in validation and accreditation assessment activities. See [Advanced Topics>Special Topics>Subject Matter Experts and VV&A](#) for additional information.

Key Roles and Responsibilities

The key responsibilities for these roles, in relationship to VV&A activities, are summarized in the table below. The left column lists the basic activities involved in the development, preparation, and VV&A of new and legacy simulations and federations. The remaining columns identify the normal part played by each role in that activity. For large programs, a different person, group, or organization normally fills each role. For smaller projects, one person, group, or organization might perform several of these roles, or possibly even all of them.

Typical Roles and Responsibilities Associated with M&S VV&A						
Role Activity	User	M&S PM	Developer	V&V Agent	Accreditation Agent	SME
Define Requirements	Lead	Monitor	Assist	Review	Review	Assist
	Approve					
Define Measures	Lead	Monitor	Assist	Assist	Assist	Assist
	Approve					
Define Acceptability Criteria	Assist	Monitor	Assist	Assist	Lead	Assist
	Approve					
Plan M&S Development or Modification ¹	Assist ⁴ Lead	Lead ⁴ Assist	Assist	Assist		
	Approve					
Develop V&V Plans	Review	Assist	Review	Lead	Assist	
		Approve				
Develop Accreditation Plan	Review	Assist		Assist	Lead	
	Approve					
Verify Requirements	Lead ⁵	Monitor	Assist	Lead ⁵ (primary)	Assist	Assist
	Approve					
Develop Conceptual Model ²	Assist	Monitor	Lead			Assist
	Approve					
Validate Conceptual Model	Assist	Monitor	Assist	Lead		Assist
	Approve					
Develop Design ³		Monitor	Perform			
		Approve				
Verify Design	Approve	Monitor	Assist	Lead		Assist
Implement Design		Monitor	Perform			
		Approve				
Verify & Validate Data	Approve	Monitor	Assist	Lead		Perform
Verify Implementation (Code)\	Approve	Monitor	Assist	Lead		Assist
Test Implementation	Approve	Monitor	Lead	Assist		Assist
Validate Results	Assist	Monitor	Assist	Lead		Assist
	Approve					
Prepare V&V Report				Perform		
Configure for Use	Assist ⁴ Lead	Lead ⁴ Assist	Assist			
	Approve					
Gather Additional Accreditation Info	Monitor	Assist		Assist	Lead	Assist

Typical Roles and Responsibilities Associated with M&S VV&A						
Role Activity	User	M&S PM	Developer	V&V Agent	Accreditation Agent	SME
Conduct Accreditation Assessment	Monitor				Perform	Assist
Prepare Accreditation Assessment Rpt					Perform	
Determine Accreditation	Perform					
Prepare Accreditation Rpt					Perform	
Review	Participation normally limited to reviewing results of task and providing recommendations.					
Perform	Actually does the task. Normally involves little active participation from others.					
Monitor	Oversees task to ensure it is done appropriately but does not normally participate.					
Lead	Leads the task. Normally involves active participation from others.					
Assist	Actively participates in task (e.g., conducting tests, providing information).					
Approve	Determines when an activity is satisfactorily completed and another can begin. Determines what activity should be pursued next (e.g., whether to continue to the next scheduled activity or return to a previous activity).					
¹ This activity refers to planning and scheduling of any M&S development, modification, or preparation ² This activity refers to development of new as well as modification of existing conceptual models ³ This activity refers to development of new M&S designs as well as modification of existing M&S designs ⁴ In general, this activity is led by the MS PM in new M&S developments and by the User in the modification of a legacy simulation. ⁵ This activity is led by the V&V Agent when available and by the User when the V&V Agent is not available at the beginning of the effort.						

Detailed discussions of each of these roles are provided in other sections of this Guide. The Core Documents section of this Guide provides detailed discussions of VV&A in each simulation category (new, legacy, federation) from the point of view of each of the five major roles (User, Developer, M&S PM, V&V Agent, and Accreditation Agent). Additional information on SMEs is presented in the [Advanced Topics>Special Topics>Subject Matter Experts and VV&A](#). It is important for the success of VV&A that all of these players establish and maintain healthy working relationships.

An “Everyday” Analogy to Help Explain VV&A

A Prospective Homeowner Analogy

There are many parallels between VV&A for simulations and the process of acquiring a (new) home. Both start with requirements definition. In the case of a simulation, the requirements will usually be stated in a written document. In the case of a house, it may be a written description, or it may be as simple as a discussion between the prospective owners and the real estate agent or builder.

Of course, in searching for a new home, one of the major decisions to make is whether to build a new house, buy one that is already built (or in the process of being built), or even rent one. In most instances, this decision is made on the basis of economics and time – building a new home is generally more expensive, involves a number of additional factors, and takes a lot more time. However, building may be the only way for the prospective owners to satisfy all their requirements. Similarly, building a new simulation is an expensive, time-consuming project, but it may be the only way for the User to be able to satisfy all the requirements of the intended use.

When the prospective owners decide not to build, then they begin to look for a house that is already built, or in the process of being built, that meets their needs.

Building a Home

When building a new house, the prospective owners meet with the builder or architect to discuss their requirements and other criteria for the house. No matter what form the requirements take, it is important for the builder to verify that his understanding of these stated or written requirements is an accurate reflection of what the prospective owners intended. This includes such basic steps as making sure that requirements are clearly stated and are not inconsistent. The prospective owners need to verify that the requirements are correct, consistent, and complete as given; that what the requirements say *is* what they really want; and that there are no important oversights or omissions. Otherwise, mistakes are bound to happen.

The table below shows some of the parallels between the artifacts and roles in new simulation development and those in new home development.

Comparison of New Home Development with New Simulation Development	
House Construction Artifact	Simulation Artifact
• Prospective owner's list of wants	• M&S Requirements
• Sketches, floor plans, example pictures, material samples	• Conceptual Model
• Blueprints	• Design Documents
• House	• Simulation
House Construction Role	Simulation Role
• Prospective owner	• User
• General contractor (builder)	• M&S PM
• Subcontractors	• Developer
• Specialty inspectors (electrical, plumbing)	• V&V Agent • SME
• Chief building inspector • Prospective owner's agent	• Accreditation Agent

Just as a Developer will prepare a simulation conceptual model for the simulation's logical structure and behavior, work on a house will often start with a floor plan layout, an artist's rendering of the exterior, samples of the materials to be used, and perhaps some interior sketches. These are, in effect, the conceptual model for the house; they allow the prospective owners to imagine what activities might take place in the house, and where their furnishings might be positioned, so they can cross-check the functional aspects of the house design against their original criteria. By this process, the prospective owners confirm that the structure of the house is suitable for their needs in view of their expectations for the house. In essence, by completing this mental review, and by reaching a conclusion that the house design (to the extent it is defined) is acceptable for their needs, they have validated the conceptual model of the house.

It is important to recognize that a simulation developer *always* works from a conceptual model. Even if it is not formally written down, it will still exist in the developer's mind. If it is not present at the beginning of development work, it must necessarily emerge in the developer's mind as the design is being prepared or the code is being written. Otherwise, there would be no logical basis for organizing the software being produced. Developing any significant simulation without a formal conceptual model is similar to building a house without a floor plan. It reduces the chance that either the house or the simulation will meet the requirements (operational risk) and be built on time and within budget (development risk). Validating the conceptual model for the simulation means ensuring that its elements are sufficient to satisfy the requirements and, as necessary, are consistent with the environment and the systems being simulated.

Of course (unlike the log cabins once built on the American frontier), no one will proceed to construct a modern house from an artist's rendering. Some form of design document, usually a set of blueprints, is prepared to allow the house to be defined with sufficient precision for materials to be ordered and for construction to begin. The blueprints will show numerous design details, such as plumbing fixtures and electrical outlets, that do not actually appear on the floor plan diagram, but are nevertheless assumed to be present in the finished house. A blueprint should provide enough information for a construction crew to assemble the house, but will not necessarily show every component in the house. For example, the plumbing pipe runs and the heating ducts will often be shown, but the exact pathway of the electrical wiring between the switches and outlets will usually not be shown, that being left to the electrician doing the work.

The blueprints should be checked frequently by the various participants to ensure they are accurate, complete, compliant with regulatory codes, and consistent with the prospective owners' requirements. The prospective owners should compare the blueprints to the floor plan to be sure that everything they expected is present. The builder should double-check that the materials, as well as the dimensions and clearances, are compliant with the state and local building codes. The plumbers, electricians, and other specialists should check the blueprints for potential problems in their areas of specialized expertise. In these ways the design is verified. Similarly, verification of the simulation design, whether performed by specialists involved with the simulation development or by outside specialists, ensures that design provides a suitable basis to proceed to the coding and implementation phase.

At different stages of the construction of the house, inspections are conducted by county building inspectors to verify that the house is being built according to safety, health, and building codes, and the chief inspector will check to ensure that what is being built is generally consistent with the plans that had been filed with the county when the building permit was issued. These inspectors effectively serve in the role of the subject matter experts in simulation verification. Each has a particular area of expertise and is responsible for verifying that aspect of the house. The builder serves as an SME to the extent that he reviews the work of his subcontractors to make sure it has been done right.

Inspections should also be conducted by the prospective owners to ensure that their specific requirements are being addressed. They are most apt to identify features that may meet the necessary codes but do not meet their particular requirements. When prospective owners lack the time or the expertise, they may hire an inspector to serve as their agent.

Home Building Example:

Unless the prospective owners have a background in construction or in electrical work, they are not likely to spot code violation problems or safety hazards in the wiring unless the problems are blatantly obvious. They might not even attempt to inspect the wiring. On the other hand, while a building inspector might check the quality of the stone work (e.g., fireproof) for the fireplace, only the prospective owners, or their agent, will evaluate the aesthetics of the overall appearance of the stone work (e.g., color, pattern, size) and make sure the fireplace is the type and size they selected.

Thus, the various inspectors correspond to the simulation SME role and they perform the functions of the V&V Agent and the Accreditation Agent. Inspector reviews of the work in progress correspond to implementation verification. The extent and frequency of these inspections will depend on the importance of what is being inspected, the degree of concern that some particular element is likely to cause problems (i.e., the level of risk), and whether problems had been detected at earlier stages of construction. These considerations similarly influence the work of the V&V Agent and the Accreditation Agent for a simulation under development.

Once the house is built, there should be a series of final inspections and a walkthrough to ensure that the house has been built to both the prospective owner's desires and to code. The final inspections and walkthrough for the house are like the results validation for a simulation. If the house is different from what was expected or if code violations are detected, then the prospective owners should make the builder correct the problems. As a last resort, the prospective owners may sue or withhold payment. Similarly, if the evidence obtained during results validation indicates that the simulation does not fit the User's needs, then corrections must be made or the simulation will not be used. When the necessary corrections have been made and further verification and validation indicates that the simulation is fit for the intended use, then the User accredits it and accepts it for use. Similarly, when the builder has made the necessary changes (as demonstrated via inspection) and prospective owners agree to accept the house,

drop their lawsuit, and release funds to the builder, they are accrediting the house as acceptable (i.e., fit for the intended use).

When constructing a house, it is well understood why one cannot simply delay, until the final walkthrough, all of the various inspections and reviews that amount to performing V&V. If flaws are not spotted relatively quickly during construction, they may disappear under the cover of subsequent work. Even if flaws remain visible, it may not be possible to correct them without undoing and redoing later work, which can substantially raise the cost of correcting the problem. Sometimes the corrective work becomes cost-prohibitive, and the prospective owner is left with the unpleasant choice of either living with the problem or canceling the contract for the house.

Buying, Not Building

The other option is for the potential home owners to look for a house that is either under construction or was previously owned (i.e., houses built to someone else’s specifications) that seems to fit all or most of their requirements. While this option avoids many of the complications involved in building, it is unlikely that the prospective owners will find any house that exactly fits their expectations.

A summary of the artifacts and roles involved in legacy simulation reuse and house buying is given in the table below.

Comparison of House Buying with Legacy Simulation Reuse	
House Buying Artifact	Legacy Simulation Artifact
<ul style="list-style-type: none"> • Prospective owner’s list of wants • Existing house characteristics 	<ul style="list-style-type: none"> • M&S requirements of intended use
<ul style="list-style-type: none"> • Photos, real estate property ads 	<ul style="list-style-type: none"> • Simulation conceptual model
<ul style="list-style-type: none"> • Blueprints, floor plans 	<ul style="list-style-type: none"> • Design documentation
<ul style="list-style-type: none"> • House 	<ul style="list-style-type: none"> • Simulation documentation, usage documentation, code
House Buying Roles	Simulation Roles
<ul style="list-style-type: none"> • Prospective owner 	<ul style="list-style-type: none"> • User
<ul style="list-style-type: none"> • Homeowner or property manager 	<ul style="list-style-type: none"> • M&S Proponent
<ul style="list-style-type: none"> • General contractor** 	<ul style="list-style-type: none"> • M&S PM**
<ul style="list-style-type: none"> • Remodelers, subcontractors* 	<ul style="list-style-type: none"> • Developer*
<ul style="list-style-type: none"> • Specialty inspectors 	<ul style="list-style-type: none"> • V&V Agent • SME
<ul style="list-style-type: none"> • Prospective owner’s agent • Chief building inspector 	<ul style="list-style-type: none"> • Accreditation Agent
<p>*Not normally involved in “as is” option **Not normally involved in “as is” or minor modification options</p>	

By carefully defining and prioritizing their requirements, the prospective owners can ensure the best fit (and reduce the length of the search).

Home Buying Analogy:

Prospective owners' requirements: A three-bedroom, three-bath house with a two-door garage, office space, central air, ground floor with wheel-chair access, fenced-in back yard, close to a good school and shopping center, maximum cost \$225,000.

Potential houses are toured (reviewed) to see which of the requirements are addressed. In most situations, the prospective owners have to go on what they see and are told about a house, although in some instances house plans, heating bills, etc. are available for inspection, and outside experts (e.g., plumber, electrician) can be brought in to inspect potential problems. The prospective owners may conduct these inspections themselves or they may choose to engage a professional home inspector to do so. Deficiencies identified during the inspection(s) are analyzed and an assessment is made to determine the time, effort, and cost to make the house fit the potential homeowners' needs. Advantages are also noted.

Potential homes can be separated on the basis of how much time, effort, and cost is involved in satisfying the prospective owners' requirements: There are roughly two categories: houses that can be used as-is, houses that need "some work." Houses that need "some work" can be divided into houses that need minor modification and houses that need major modification.

- **As-is** – A house meets all of the high-priority requirements and needs only cosmetic changes, or minor, isolated changes that can be done without outside assistance and at the owner's convenience.

As-Is Home Buying Example:

The house has three bedrooms and 2¾ baths, a two-car garage, central air, wheelchair access to all but one room on ground floor, in a good school district, with an extra bedroom in the basement that can be easily converted to an office, costing \$205,000. House is vacant.

Deficiencies: No fence; 2¾ baths instead of 3. Needs business phone line in the basement office installed, door on main floor resized for wheelchair access (no structural problems anticipated), new carpets, repainting (interior).

Advantages: \$20,000 under budget; the ¾ bath is on the main floor and is wheelchair accessible; available right away.

If having the office located in the basement is acceptable, then little needs to be done beyond having inspectors brought in to ensure the house passes inspection. Installing a fence and resizing the door should be quick, easy fixes that can be done within the budget with enough left over to replace carpets and repaint walls if desired.

In this situation, the only roles that need to be involved are the prospective homeowners (and their agent), the current owner, and the inspectors. Similarly, a legacy simulation that can be reused “as is” will not require the involvement of an M&S PM or Developer.

- **Minor Modification** – A house meets most of the prospective owner’s requirements but needs some isolated modifications.

Minor Modification Example:

The house has three bedrooms and three baths, a two-car garage, central air, a partially finished, full basement, partial wheelchair access, in a good school district, costing \$190,000.

Deficiencies: Creating a basement office will involve finishing the drywall, painting, adding carpeting, and adding an additional phone line. The basement also lacks a lavatory, so a ½ or ¾ bath should be added as well. Completing the wheelchair access will involve adding a ramp to the front door and installing handicap bars, sink, and stool in the main floor bath.

Advantages: \$35,000 under budget. Although the modifications are more extensive, they are still relatively inexpensive and uncomplicated.

If the prospective homeowners select this house, then some work needs to be done before it can address all their needs; however, each problem can be addressed separately by a remodeler or specialty contractor, with little impact on the rest of the house. No general contractor would be needed to coordinate the renovations. However, additional inspections would be needed to ensure the house and the renovations are satisfactory. Similarly, a simulation that requires only minor, isolated modifications normally does not require the involvement of an M&S PM. A Developer is needed to modify the code, but this may actually be done in-house and not by a separate organization.

- **Major Modification** – A house meets many of the high priority requirements but needs more elaborate and costly alterations; is in the extreme, a fixer-upper.

Major Modification Example:

An attractive older home in an excellent school district has three bedrooms and three baths, a two-car garage, central air, wheelchair access, large, well-kept fenced yard with pool, and potential office space in an unfinished loft over the garage, costing \$150,000. It is available for immediate occupancy.

Deficiencies: Converting the loft into an office would require reinforcing the floor, adding internal walls, extending heating and plumbing lines, installing a half-bath, adding power and phone lines, insulation, and sound proofing, installing windows and a secure external entrance. Because of the age of the house, appliances, electrical wiring, plumbing, roof, insulation, etc. should all be examined to be sure they are in good working order and meet current building codes. The pool may or may not be a deficiency depending on its condition.

Advantages: Low cost, excellent school district, aesthetic appeal of the house and property, size of the yard, and (possibly) the pool.

Extensive work may need to be done before it can address all the owner's needs. In addition to the known office renovation, appliances, wiring, or plumbing may need to be fixed or upgraded. Inspectors should be brought in to identify potential problems. If problems exist, specialists (plumbers, electricians, roofers, etc.) may need to be hired to fix them.

Because of the complexity of the office renovation, a general contractor may be needed to order materials, oversee the subcontractors, schedule the jobs, etc. Architectural plans of the garage would need to be examined and revised. A detailed design and specifications would need to be drawn up for the builders to work from.

In addition, inspections, by the prospective owners, general contractor, and/or different specialists, should be done to at each stage of the renovation and at the end to ensure the renovations conform to building codes and satisfy the prospective owner's needs. A simulation that requires major modifications normally requires an M&S PM and Developer to perform the modification, and the V&V effort and accreditation assessment are much more intense.

Renting, Not Buying

The final option for a potential homeowner is to rent. Renting a house involves the same artifacts and roles as buying, but because rental property remains under the control of the existing owner, prospective owners (renters) are even less like to find a house that meets all their requirements. Rental agreements are frequently very restrictive on what changes can be made; and, when the property owners remain responsible for maintenance, much depends on their responsiveness.

This is much akin to the situation in legacy simulation reuse when someone other than the User owns the simulation. The User enters into an agreement with the owners or managers of the simulation (i.e., M&S Proponent). How and when a simulation can be used, and, in particular, how a simulation can be altered are governed by its

configuration control policies. When a simulation is maintained under tight configuration control (e.g., there is only one authorized version), the M&S Proponent determines whether modifications can be made and may even determine who makes them. Tight configuration control also means that the simulation is well documented and/or well understood and its reputation (history of usage) provides a high degree of credibility that will transfer at least in part to the intended use. When configuration control is less rigidly maintained, the User may be given copies that can be modified as needed. This results in multiple versions of the simulation, each with its own limited history. Individually, they are less likely to be well documented or to have a highly credible “history of usage” that can transfer readily to the intended use.

Analogy Conclusion

Although this analogy has been extended as far as is reasonable, one aspect remains. A frequent assumption made in simulation development and use is that, because a line of code can always be changed with a text editor with as little time and effort as when it was first put in place, one can therefore wait until the simulation is delivered to undertake the V&V. Certainly it is true that one can change a line of code far more easily than replacing a leaky pipe joint inside a wall, but in many other ways, the analogy between house construction and simulation development is closer than may be apparent at first glance.

Code that is developed early becomes a foundation on which later code relies, just like the foundation of a house. Code for implementing behavior that does not comply with recognized standards (e.g., networking protocols, file formats) will eventually have to be ripped out and modified just like plumbing that is not up to the standards of the county. If this is not done in a timely manner, then there will be a ripple effect on other parts of the simulation, causing code rework elsewhere, just as drywall work in a house must necessarily be damaged in order to repair a leaky pipe joint behind a wall.

Errors that are spotted at the simulation conceptual model or design document stage are often inexpensive to fix, but the same errors if not detected until implementation can become prohibitively costly to fix. Not only is it much more difficult to determine the cause of an error, but changing even a small amount of code late in a project means that substantial testing work will need to be redone.

If this aspect of simulation development and use were more widely understood, it is doubtful that there would be such a widespread tendency to want to defer V&V until the end of simulation development. It is certainly understandable, given resource and time constraints, that those building a simulation or preparing it for use want to “get on with the work” and are reluctant to be distracted by preparing for or conducting V&V tasks. Nevertheless, this is ultimately a “penny wise but pound foolish” approach. As illustrated in this analogy and as V&V guidelines and directives have emphasized, again and again, for simulation development and use to be successful, it is essential that V&V activities be integrated into the development and preparation process.

What Are the Costs and Benefits of VV&A?

Because the objective of VV&A is to help ensure that credible simulations are used when making decisions (recognizing, again, that what is credible depends on the context), and because it would be illogical to try to make an important decision by using a simulation that is not credible, it could be stated that the primary results of VV&A go beyond providing merely a benefit, and reach the level of providing a necessity. Of course, things are rarely quite this simple or clear cut.

There is always some *a priori* probability that a simulation, after a VV&A effort has been completed, will be shown to have been credible, all along. Therefore, there is always some temptation to want to skip VV&A for a simulation that one *expects* to be “credible” when all is said and done. This can easily lead to a penny wise and pound foolish strategy, and for a number of reasons, this temptation should be avoided:

- **The inclusion of V&V in a well-established simulation development process can enhance the ongoing process at little, if any, cost.**

Many mature software development processes already incorporate steps that are very similar to verification as part of an established software quality assurance (QA) process. In simulations including a software QA effort, the V&V effort would consist of collecting the existing QA documentation, identifying any requirements that may not have been adequately addressed, conducting the V&V necessary to address them, and performing the results validation. The accreditation assessment would evaluate all the information from both the QA and V&V efforts regarding the simulation’s fitness for the specified purpose, and would document the findings.

- **The addition of VV&A can actually *reduce* the overall *net* simulation development costs.**

This can occur in cases where the simulation’s software development process does not already have a strong emphasis on quality. The tasks performed in V&V, particularly verification, are effective additions to a software development process - they can help detect, and correct, software design errors at an earlier stage than might otherwise be the case. Given the substantial increase in the costs for correcting an error found late in a development process, early detection and correction can yield substantial cost savings in the areas of code testing and debugging. In fact, the cost savings in simulation development could help pay for the costs of the V&V effort.

- **VV&A minimizes the risks and costs of making incorrect program decisions.**

While the true costs of VV&A are not necessarily all that significant, the true benefits can be. These costs and benefits can, in principle, even exceed the

costs of the program because they derive from the nature of the situations in which the results of the program are applied. Several examples of adverse effects due to inadequate system testing were given earlier in this document. Insufficient VV&A can lead to the same types of problems.

- **Because VV&A consists of a managed set of processes, there is no necessity for an up-front, all-or-nothing, go/no-go decision.**

Throughout the conduct of the VV&A processes, as evidence is being gathered, an *a priori* assessment of the credibility of a simulation can be continually revised. At any point, the User might conclude that there is (or is not) sufficient evidence to make a credibility determination, or that the simulation is very *likely* to be proven credible, even if there is not yet complete certainty, and that the costs of further improving the degree of certainty are not warranted in comparison to the level of risk then remaining. In short, the VV&A effort can be managed so as to maximize the benefits relative to the costs.

VV&A does more than just ensure that models and simulations are credible – it helps avoid the costs of correcting development errors, and it helps prevent adverse impacts from incorrect program decisions. Overall, if conducted properly, the benefits of VV&A far outweigh the costs.

References

1. DoD Instruction (DoDI) 5000.61: *DoD Modeling and Simulation (M&S) Verification, Validation, Accreditation (VVA)*, April 1996 (currently under revision)
2. Rouche, P. J., *Fundamentals of Verification and Validation*, Hermosa Publishing, 2009, p. 42.
3. Sargent, R. G., 1998. "Verification and Validation of Simulation Models," *Proceedings of 1998 Winter Simulation Conference*, pp 121-130.
4. *Mars Climate Orbiter Failure Board Releases Report*, Release: 99-134, <http://mars.sgi.com/msp98/news/mco991110.html>
5. "Hubble Space Telescope Results in Planetary Science" (Introduction), Reta Beebe, Astronomy Department, New Mexico State University, Las Cruces, New Mexico, <http://www.agu.org/revgeophys/beebe01/beebe01.html>
6. "Torpedoes of World War II," part of *The Silent Service* series of documentaries presented on The History Channel, A&E Television Networks, © 2000
7. Personal conversation with an observer of the live test drops conducted to diagnose the problem.
8. Personal conversation with an individual involved in tracking down the missing components.

Acronyms

AA	Accreditation Agent
CPU	Central Processing Unit
DMSO	Defense Modeling and Simulation Office
DoD	Department of Defense
M&S	Modeling and Simulation
QA	Quality Assurance
PM	Program Manager
RPG	Recommended Practices Guide
SME	Subject Matter Expert
V&V	Verification and Validation
VV&A	Verification, Validation, and Accreditation

The appearance of hyperlinks does not constitute endorsement by the DoD, M&S CO, the administrators of this website, or the information, products or services contained therein. The DoD does not exercise any editorial control over the information found at these locations. Such links are provided consistent with the stated purpose of this website.